


## Experimental Explanation of Supercooling: Why Water Does Not Freeze in the Clouds

*ScienceDaily* (Apr. 23, 2010) — Supercooling, a state where liquids do not solidify even below their normal freezing point, still puzzles scientists today. A good example of this phenomenon is found everyday in meteorology: clouds in high altitude are an accumulation of supercooled droplets of water below their freezing point.



*Droplet of a gold-silicon liquid alloy on a silicon (111) surface. Pentagonal clusters formed at the interface exhibit a denser structure compared to solid gold and prevent the liquid from crystallization at temperatures as low as 300 Kelvin below the solidification temperature. (Credit: Graphics by M. Collignon)*

Scientists from the Commissariat à l'Energie Atomique et aux Energies Alternatives (CEA), the Centre National de Recherche Scientifique (CNRS) and the ESRF have found an experimental explanation of the phenomenon of supercooling. Their research is published today in *Nature*.

Supercooled liquids are trapped in a metastable state even well below their freezing point, which can only be achieved in liquids that do not contain seeds that may trigger crystallization. Clouds at high altitude are a good example for this: they contain tiny droplets of water that, in the absence of seed crystals do not form ice despite the low temperatures. In everyday life, though, there is usually some crystalline impurity in contact with the liquid that will trigger the crystallization process, and therefore the freezing. Controlling

solidification behaviour is important for applications ranging from hail prevention up to technological processes such as welding and casting or even the growth of semiconductor nanostructures.

Supercooling was discovered already in 1724 by Fahrenheit, but even today the phenomenon remains a subject for intense discussions. Over the last 60 years the very existence of deep supercooling has led to speculations that the internal structure of liquids could be incompatible with crystallization. Models propose that a significant fraction of the atoms in liquids arrange in five-fold coordinated clusters. To form a crystal however, one needs a structure that can be repeated periodically, filling the entire space. This is not possible with five-fold coordinated clusters. In the two-dimensional analogue, a plane cannot be filled by pentagons only, whereas triangles, rectangles or hexagons can fill a plane perfectly. In this example, pentagons are an obstacle to crystallization.

Until today there was no experimental proof that this five-fold coordinated structures are at the origin of supercooling. The researchers from the CEA, CNRS and ESRF studied the structure of a particular liquid, a gold-silicon alloy, in contact with a specially decorated silicon (111) surface, where the outermost layer of the solid featured pentagonal atomic arrangements. Their findings confirmed that a strong supercooling effect took place. "We studied what happened to the liquid in contact with a five-fold coordinated surface," explains Tobias Schüllli, first author of the paper. The team performed the control experiment with the same liquid exposed to three-fold and four-fold coordinated surfaces, which reduced the supercooling effect dramatically. "This constitutes the first experimental proof that pentagonal order is at the origin of supercooling," explains Tobias Schüllli.

It was during their studies, originally focusing on the growth of semiconducting nanowires, that the scientists discovered the unusual properties of these liquids. As they were observing the first stage of growth of nanowires, they could see that the metal-semiconductor alloy they used remained liquid at a much lower temperature than its crystallization point and so they decided to investigate this phenomenon. These liquid alloys are popular in applied research as they enable the growth of sophisticated semiconductor nanostructures at low growth temperatures. Most of these nanowire structures are grown on silicon (111), the same surface used by the team. Semiconducting nanowires are promising candidates for future electronic devices. Prominent examples are solar cells, where scientists are working on the integration of silicon nanowires in order to increase their performance.